


FELDER®

KV 925

TOP CLASS FEATURES



FELDER®



KV 925


Top class features
for the entry-level



Solid wood



Panel material



Plastic



Robust, compact, precise – the vertical Felder beam saw guarantees highest precision, efficiency and productivity on the smallest of footprints. Easy operation, powerful and up to 2 ²³/₆₄" (60 mm) cutting depth guarantee a wide range of applications of the vertical beam saw in any workshop.

With numerous premium equipment features, such as the status display, the automatically deflecting support grid, or the pneumatic locking of the saw carriage, you get top-class Felder operating comfort at an exceptionally competitive price.



KV 925

- » Cutting depth: 2 ³/₈" (60 mm)
- » Cutting length: 98 ²⁷/₆₄" (2,500mm), 125 ⁶³/₆₄" (3,200mm), 169 ¹⁹/₆₄" (4,300mm), 204 ²³/₃₂" (5,200mm)
- » Vertical cutting height: 62 ⁶³/₆₄" (1,600mm), 74 ⁵¹/₆₄" (1,900mm), 86 ³⁹/₆₄" (2,200mm)
- » Motor power 3 kW
- » LED – status display

... Your decision for Felder, a risk-free decision


- | | |
|--|---|
| <ul style="list-style-type: none"> » The right machine for every budget » Complete reliability in professional use » Tailor made machine solutions » High quality cast iron machine table and aggregates » Innovative detail solutions derived from 65 years of experience - already included in the standard configuration | <ul style="list-style-type: none"> » First class manufacturing and finishing standards » Intuitive application concepts » Modern, distinct design » Quality and precision from AUSTRIA » Powerful and efficient » Complete package: Comprehensive service support |
|--|---|

The most important highlights at a glance



LED Status Display

Thanks to the changing colors of the innovative LED concept, the various machine states are immediately visible.



Saw Unit

A powerful 3 kW motor and a saw blade diameter of 9 ²⁷/₃₂" (250 mm) (optionally with scoring unit) and 2 ²³/₆₄" (60 mm) cutting depth.



TRK Dust Extraction

Integrated, powerful TRC dust extraction. Dust emissions considerably below 1 mg/m³.



Automatic movable back wall

For horizontal cuts, the distance holders move automatically in height to avoid being damaged by the saw blade.

FELDER®

Details



Professional Package

Optional Professional Package includes both horizontal and vertical pneumatic locking of the saw carriage, two digital dimensional displays and a horizontal strip stop. This increases both the general ease of operation and the process reliability of the saw.



Performance Supports

Durable and precise stainless steel workpiece supports offer a solid support for daily work in the shop.



Control Terminal

A user-friendly and well-organized control panel designed for maximum operating comfort.



Continuous Centre Support

Maximum flexibility in processing, regardless of strip length.

Technical specifications


Elektrics		KV 925
001	3x 400 V motor voltage	S
004	50 Hz	S
005	60 Hz	W
006	4.0 HP (3.0 kW)	S
25	Multi-voltage input 3x190V / 208V / 230V / 400V / 415V / 440V / 480V	O

Working dimensions		
	Cutting depth 2 ²³ / ₆₄ "	S
20	Machine dimension 16.25	O
21	Machine dimension 19.32	O
22	Machine dimension 22.42	O
23	Machine dimension 22.53	O

Saw unit		
	Saw blade diameter in mm	250
	Saw blade speed in rpm	4.800
74	Scoring unit with saw blade	O
100	Professional package consisting of: – Digital dimension displays for vertical and horizontal cut – Pneumatic saw carriage clamping for vertical and horizontal cut – Horizontal strip stop	O
	manual operator terminal	S

Machine base		
	automatically movable sliding grate (pneumatic)	S
	Additional fence	S
	Continuous center support	S
	Movable support for narrow workpieces	S
	lateral dust duct, TRK wood dust tested	S

General		
	Dust port Ø in mm	2 x 100
	Weight kg (with standard configuration)	750



Perfect woodworking with
FELDER machines

Product range

Sliding Table
Panel Saws



Shapers



Saw-Shapers




Planers



Combination
machines



Bandsaws



Dowel Boring Machine,
Drilling Machine and
Horizontal Mortiser



Heated
Veneer
Presses



Wide Belt Sanding
Machines




Brushing
Machine



Belt and
Edge Sanders



Edgebanders



G 263

G 220

ForKa 300 S eco

Vertical
panel saw



Extraction Units &
Briquetting Presses



FBP 50/60/70

AF 22-D200





FELDER Quality and precision in a nutshell

Since 1956, a guarantee for perfect results with excellent ease of use and reliability in regular professional use. Woodworkers are always enthusiastic about the individual and solid solutions for small and mid-sized businesses.

FELDER GROUP

KR-Felder-Straße 1
A-6060 HALL in Tirol

☎ Tel. +1 866-792-5288

www.felder.us

[Contact](#)