

A3 - sensational results

at an unbeatable price, only with Hammer!



Solid wood



Solid cast iron planing tables, automatic planer knife cutterblock and many more excellent details are the perfect components for sensational jointing and planing results with the A3. In addition to the impressive machine technology, the A3 also offers an unparalleled price-performance ratio see for yourself!

The self-setting planing cutterblock which enables an incredibly quick change of the knives, provides planing results with which you will be amazed. For mortising or doweling you can equip your planer/ thicknesser with the horizontal mortiser.

Hammer_®

Variations

Models & Your Advantages







A3 26

- » Planing width: 10¹⁵/₆₄" (260 mm)
- » Planer table length: 44³/₃₂" $(1,120 \text{ mm}) (75^{19}/_{32}" (1,920 \text{ mm})$
- » Cutterblock: self-aligning planer knives; Silent-Power® sprial cutterblock (option)
- » Jointing height: 4-225 mm
- » Feed speed: 6 m/min

A3 31

- » Planing width 12¹³/₆₄" (310 mm) or other way round 12¹³/₆₄" (310 mm) planing width
- » Planer table length: 55¹/₈" (1,400 mm) (86³⁹/₆₄" (2,200 mm)
- » Cutterblock: self-aligning planer knives; Silent-Power® sprial cutterblock (option)
- » Jointing height: 4-225 mm
- » Feed speed: 6 m/min

A3 41

- » Planing width 16⁹/₆₄" (410 mm)
- » Planer table length: 70⁵⁵/₆₄" $(1,800 \text{ mm}) (102^{23}/_{64}" (2,600 \text{ mm}))$
- » Cutterblock: self-aligning planer knives; Silent-Power® sprial cutterblock (option)
- » Jointing height: 4-225 mm
- » Feed speed: 6 m/min

The most important highlights at a glance



On request: Sensational quiet planing with the Silent-Power® spiral cutterblock

Exclusive for planer/thicknesser from the Felder Group The Silent-Power® spiral blade cutterblock cuts noise levels during planing by well over half and provides a continuous pulling cut for tear-free planing patterns in any type of wood. With this revolutionary new development from Felder you are obtaining all of the advantages of a spiral cutterblock at considerably lower operating, investment and adjustment costs. The benefits of the Silent-Power® spiral cutterblock at a glance...

- » Sensationally quiet, noise emissions halved
- » Blade life up to 20 times longer
- » Four highly precise cutting edges on each knife



Solid planer tables for absolute precision

The strong ribbed Hammer planer and jointer tables are made from solid cast iron and ensure perfect precision in every situation. The width of the planing table equates to the planing width, which means that workpieces can be planed safely across the full length of the planing table.



Dual lifting planer tables - 0°- end position saves valuable working space

A space saving solution with optimum ergonomics: Planer tables tilt away from the user operating area, this ensures that working with your Hammer planer is as user-friendly as possible and also requires less workshop space. The simultaneous, dual opening and closing of the planing tables saves time and is extremely comfortable. The planing tables lock automatically at the 0° end position.



Hammer - Decision making reliability for many years to come


Durability, functionality and reliability made in Austria - Hammer woodworking machines are top-quality products from Felder. Since 1997, Hammer has been producing high-quality yet affordable woodworking machines for the skilled trades and crafts. The models have been specifically designed for this customer group and are available in the basic, winner and perform configuration, offering price optimised solutions for every

requirement. Decades of experience building machines, Austrian craftsmanship, strict quality standards and tried and tested Felder system solutions, guarantee excellent woodworking machines, the best operating results and customer satisfaction for years to come. From the passionate woodworker to the business user with high demands, with machines from Hammer you are guaranteed reliability and precise woodworking.

... why you should decide on a Hammer machine now:

- » Excellent value for money
- » Decision making reliability for many years to come
- » State of the art machine technology
- » Solid cast iron tables and units
- » High quality, unique detail solutions as part of the standard package
- » Top quality manufacturing with strict quality guidelines
- » User friendly
- » Classic design
- » Quality and precision from AUSTRIA
- » Compact functionality
- » Mobile as an option
- » Minimal space requirement
- » Quickest changeover times

Details that convince



3 knife quick-change, self-setting cutterblock system, the heart of every Hammer planer

The Hammer 3-knife automatic cutterblock guarantees excellent planed wood surfaces and the simplest of operating comfort Since 1987 the cutterblock quick-change system has proven itself a thousand times over and our customers worldwide have saved on expensive additional investment in standard planer cutterblocks. The quick-change cutterblock system is only available from the Felder Group! Your advantages at a glance

- » Planer knife change without adjustments in seconds
- » Disposable knives, each with 2 cutting edges at an inexpensive price
- » No expensive adjustment tools, like those used for standard planing knives, are necessary
- » No second set of planing knives are required during the sharpening cycle





INCREDIBLY QUIET

For the sake of your health and your employees The Silent-Power spiral blade cutterblock reduces noise levels by 50 % (10 db A) when compared with conventional systems.



20 TIMES LONGER BLADE LIFE

saves money The tungsten carbide cutters in the Silent-Power spiral blade cutterblock provide up to twenty times the cutting edge service life of HSS cutters.



FOUR CUTTING EDGES

More "planer knives" at the same price Each tungsten carbide knife (on the Silent-Power spiral blade cutterblock) has four cutting bevels. Quickest change of the cutter with a simple single



LOWER POWER CONSUMP-TION

save power costs Regardless of the planing width, the Silent-Power cutterblock uses significantly less power than comparable systems.



TEAR-FREE PLANING RESULTS

Real spiral-knife technology Continuous, pulling cut thanks to the compact arrangement of all cutting edges with optimised cutting angle on the Silent-Power spiral blade cutterblock.



LARGE **CHIP SPACE**

smallest chipping volumes The chipping flow optimised chip clearance of the Silent-Power spiral blade cutterblock and the short cutting bevels guarantee the best possible chip transport and the lowest chip volumes



IN-HOUSE PRODUCTION

The Silent-Power spiral blade cutterblock is manufactured 100% in the factory in Hall i. T., Austria. Local craftsmanship and uncompromising manufacturing standards guarantee the top quality "Made in Austria".



PATENTED SINCE 2012

Innovation made in Austria Often copied, but never equalled Almost 10 years ago, the Silent-Power spiral blade cutterblock has set new standards on the market in terms of noise reduction, quality and efficiency and remains unparalleled to this day.



Solid planer tables for absolute pre-

The strong ribbed Hammer planer and jointer tables are made from solid cast iron and ensure perfect precision in every situation. The width of the planing table equates to the planing width, which means that workpieces can be planed safely across the full length of the planing table.

Quick and simple: Depth of cut adjustment when planing

The large adjustment handle for the planing depth of cut is integrated perfectly into the machine design. The depth of cut adjustment of up to 4 mm can be carried out quickly, simple and precisely without having to release any locks. That is top class operating comfort.








The planer fence for exact joining and bevelling

The planer fence can be moved and fixed to any position across the width of the table. The planing fence is made of aluminium and can be tilted and fixed at any position between 90°-45°. Fine adjustable end stops ensure an exact 90° and 45° position. The precise workpiece guiding whilst joining and bevelling is helped by the long planing fence.

Hammer_®

As and when required: Adapt the table size to the workpiece dimensions

Processing long and heavy workpieces without assistance - no problem with a Hammer! The Hammer table extension system, which has been tried and tested worldwide a thousand times over, allows you to assemble table extensions without tools in just a few steps. The support surface can be extended by 15³/₄" or $31^{1}/_{2}$ " (400 or 800 mm) on each side of the working table. This means an extension of your table length by up to 62⁶³/₆₄" (1,600 mm)!



Dual lifting planer tables - 0°- end position saves valuable working space

A space saving solution with optimum ergonomics: Planer tables tilt away from the user operating area, this ensures that working with your Hammer planer is as user-friendly as possible and also requires less workshop space. The simultaneous, dual opening and closing of the planing tables saves time and is extremely comfortable. The planing tables lock automatically at the 0° end position.



Hammer_®



Maximum jointing height for large dimensioned requirements

The maximum jointing height of 8⁵⁵/₆₄" (225 mm) is a guarantee for the perfect processing of large and heavy workpieces. An even more precise, tenth of a millimeter, accurate adjustment of the jointing height is possible with the optional handwheel and integrated digital clock.

Perfect extraction technology - a clean solution

The aerodynamically optimized construction of the dust extraction hood with its ample chip space guarantees an ideal chip extraction and clean working surface.





The Mortising Unit

The mortising unit is mounted to the planer side.

Minimal space requirement - mobile in every workshop

Hammer woodworking machines are an absolute spacial wonder. The efficient machine design of a Hammer means that space can be found in even the smallest of workshops. As an option a rolling carriage can be fitted to every Hammer, offering mobility and freeing up additional space.



Technical specifications

1003 1x 230 V motor volkage, motor power 4 0 HP 3,0 kW S6/40%	Electri	cs	A3 26	A3 31	A3 41	
1003 1x 230 V motor voltage, mater power 4.0 HP (3.0 kW) S6/40%	001 3x 400 V motor voltage		_	S	S	
1003 1x 230 V motor voltage, mater power 4.0 HP (3.0 kW) S6/40%	003	<u> </u>	S	_	_	
S	003		_	0	0	
Mother provers 4.0 HP (3.0 kW) (56/40%	004	·	S	S	S	
Motor power 4.0 HP (3.0 kW) Se/40%	005		0	W	W	
008 Motor power 5.5 HP 4.0 kW \$6/40 % — — — S 28 Additional emergency stop — — — — PRaminy unit and cutherblock — — — — — 42 3 krille quick-change, self-seatising cutherblock — — — — — — 43 3 krille quick-change, self-seatising cutherblock —	007		_	S	_	
Planity unit and cuterblock	008		_	_	S	
3	28	·	0	0	0	
3	Planir	a unit and cutterblock				
3 3 3 4 3 5 5 0 0 0 0 0 0 0 0		-	S	S	S	
Anodised planer fence tilts from 90°-45° S S S	43					
Anodised planer fence tilts from 90°-45° S S S			0			
Length of surface planer fence		·		S		
Surface planer width	-	·	29 ¹⁷ / ₃₂ "		150 x	
Planing table length				•		
Planing table length	-	Surface planer width			*.	
Number of knives - Silent-POWER spiral cutterblock 39 47 62	_	Planing table length	, ,	,		
Planer and Feed Drive - Jointing width 10" (254 mm) (254 mm) (254 mm) (254 mm) 15" (406 mm) (254 mm) (254 mm) 15" (406 mm) (254 mm) (254 mm) 15" (406 mm) (254 mm) (254 mm) 21" / 64" (254 mm) (2540 mm) (2540 mm) 233 / 6" (2540 mm) (2540 mm) (2540 mm) 233 / 6" (2540 mm) (2540 mm) (2540 mm) 233 / 6" (2540 mm) (2540 mm) 233 / 6" (2540 mm) (2540 mm) 233 / 6" (2540 mm) (2540 mm) 145<		Training lable length		- '	·	
Dointing width 10° 12° (306 15° (406 mm) 10° 12° (306 mm) 15° (406 mm) 10° 12° (306 mm) 15° (406 mm) 10° 12° (306 mm) 10° (540 mm) 145° (140 mm) 145° (120	-	Number of knives - Silent-POWER spiral cutterblock	39	47	62	
	Plane	r and Feed Drive				
Dinting table length in mm	-	Jointing width				
Min. workpiece length in mm	-	Jointing height minmax. 4-225 mm;	S	S	S	
- Maximum depth of cut ½" (4 mm) ½" (4 mm) ½" (4 mm) ½" (4 mm) - Synchronous feed speed 6 m/min. (50 Hz) S S S Mortising unit 190 Mortising table O O O 191 Mortising chuck 0-16 mm O O O General - Extraction connection Ø %" (120 mm)	-	Jointing table length in mm				
Synchronous feed speed 6 m/min. (50 Hz) S S S	-	Min. workpiece length in mm	145	145	145	
Mortising unit 190 Mortising table ○ ○ ○ 191 Mortising chuck 0·16 mm ○ ○ ○ Extraction connection Ø 36" (120 mm)	-	Maximum depth of cut	½" (4 mm)	½" (4 mm)	½" (4 mm)	
190 Mortising table 191 Mortising chuck 0-16 mm Ceneral Extraction connection Ø Extraction connection Ø Gross weight in kg (with standard configuration) Important accessories - 01.1.202 · Indicator clock with digital readout, 0.1 mm resolution, counting counterclockwise. 2mm increment - 12.1.311 · ALUMINIUM · System · Handwheel 210 Rolling carriage without lifting bar 211 Lifting bar 221 Transport preparation for overseas transport - 500-101 · Table extension, aluminium, width 5²9/₃₂″ (150 mm), length 15³/₄″ (400 mm) - 500-102 · Mounting rail for table extension 16²/₄₄″ (410 mm) - 0 - 0	-	Synchronous feed speed 6 m/min. (50 Hz)	S	S	S	
191 Mortising chuck 0-16 mm	Mortising unit					
Extraction connection Ø	190	Mortising table	0	0	0	
- Extraction connection Ø ¾6" (120 mm)	191	Mortising chuck 0-16 mm	0	0	0	
- Extraction connection Ø ¾6" (120 mm)	Gene	ral				
Important accessories - 01.1.202 - Indicator clock with digital readout, 0.1 mm resolution, counting counterclockwise. 2mm increment - 12.1.311 - ALUMINIUM - System - Handwheel 0 0 0 210 Rolling carriage without lifting bar 0 0 0 211 Lifting bar 0 0 0 221 Transport preparation for overseas transport - 500-101 - Table extension, aluminium, width 529/32" (150 mm), length 153/4" (400 mm) - 500-102 - Mounting rail for table extension 1213/64" (310 mm) - 500-151 - Mounting rail for table extension 169/64" (410 mm) - 0	_		%" (120 mm)	3%" (120 mm)	3/8" (120 mm)	
- 01.1.202 - Indicator clock with digital readout, 0.1 mm resolution, counting counterclockwise. 2mm increment - 12.1.311 - ALUMINIUM - System - Handwheel O O O 210 Rolling carriage without lifting bar O O O 211 Lifting bar O O O 221 Transport preparation for overseas transport O O O - 500-101 - Table extension, aluminium, width 529/32" (150 mm), length 153/4" (400 mm) O O O - 500-102 - Mounting rail for table extension 1213/64" (310 mm) - 500-151 - Mounting rail for table extension 169/64" (410 mm)	-	Gross weight in kg (with standard configuration)	245	290	400	
- 01.1.202 - Indicator clock with digital readout, 0.1 mm resolution, counting counterclockwise. 2mm increment - 12.1.311 - ALUMINIUM - System - Handwheel O O O 210 Rolling carriage without lifting bar O O O 211 Lifting bar O O O 221 Transport preparation for overseas transport O O O - 500-101 - Table extension, aluminium, width 529/32" (150 mm), length 153/4" (400 mm) O O O - 500-102 - Mounting rail for table extension 1213/64" (310 mm) - 500-151 - Mounting rail for table extension 169/64" (410 mm)	Impor	tant accessories				
210 Rolling carriage without lifting bar OOO 211 Lifting bar OOO 221 Transport preparation for overseas transport OOO - 500-101 - Table extension, aluminium, width 529/32" (150 mm), length 153/4" (400 mm) OOO - 500-102 - Mounting rail for table extension 1213/64" (310 mm) - 500-151 - Mounting rail for table extension 169/64" (410 mm) OOO OOO OOO OOO OOO OOO OOO	-	01.1.202 - Indicator clock with digital readout, 0.1 mm resolution, counting counterclockwise.	0	0	0	
210 Rolling carriage without lifting bar OOO 211 Lifting bar OOO 221 Transport preparation for overseas transport OOO - 500-101 - Table extension, aluminium, width 529/32" (150 mm), length 153/4" (400 mm) OOO - 500-102 - Mounting rail for table extension 1213/64" (310 mm) - 500-151 - Mounting rail for table extension 169/64" (410 mm) OOO OOO OOO OOO OOO OOO OOO	_	12.1.311 - ALUMINIUM - System - Handwheel	0	0	0	
211 Lifting bar O O O 221 Transport preparation for overseas transport O O O - 500-101 - Table extension, aluminium, width 529/32" (150 mm), length 153/4" (400 mm) O O O - 500-102 - Mounting rail for table extension 1213/64" (310 mm) - O - - 500-151 - Mounting rail for table extension 169/64" (410 mm) - - O	210	·				
221 Transport preparation for overseas transport O O O - 500-101 - Table extension, aluminium, width 5 ²⁹ / ₃₂ " (150 mm), length 15 ³ / ₄ " (400 mm) O O - 500-102 - Mounting rail for table extension 12 ¹³ / ₆₄ " (310 mm) - O - - 500-151 - Mounting rail for table extension 16 ⁹ / ₆₄ " (410 mm) - O	211					
- 500-101 - Table extension, aluminium, width 5 ²⁹ / ₃₂ " (150 mm), length 15 ³ / ₄ " (400 mm) O O - 500-102 - Mounting rail for table extension 12 ¹³ / ₆₄ " (310 mm) - O 500-151 - Mounting rail for table extension 16 ⁹ / ₆₄ " (410 mm) - O	221	·	0	0	0	
- 500-102 - Mounting rail for table extension 12 ¹³ / ₆₄ " (310 mm) - O 500-151 - Mounting rail for table extension 16 ⁹ / ₆₄ " (410 mm) - O						
- 500-151 - Mounting rail for table extension 169/64" (410 mm) O					_	
-	_	-	_	_	0	
	_	500-157 - Mounting rail for table extension 10 5/ ₆₄ " (260 mm)	0	-	_	

Hammer_®

Product range











Hammer

Hammer Affordable functionality and reliability

Since 1997 the Felder Group has been producing high quality yet affordable woodworking machines with the Hammer brand for do-it-your-selfers and small businesses. Robust, durable, space-saving and precise in its operation. Quality products that simply make woodworking fun.

FELDER GROUP

KR-Felder-Straße 1 A-6060 HALL in Tirol

- Tel. 01908 635000

 www.hammer.uk

 Contact
- Tel. 0906625756

 www.hammer.ie

 Contact
- Tel. 1800 274 3040

 www.hammer.in

 Contact
- Tel. +43 5223 58500

 www.hammer.int

 Contact